

Balustrade








Dixie's new balustrade system is available in 3 sizes (6", 7" and 12") and is easy to install. It comes primed ready for painting. The balustrade is manufactured from a high-density polyurethane with a structural insert. It will never rot, decay or deteriorate and will provide years of beauty. Curved "radius" rails are also available in up to 10' sections to complement any design.

Balustrade Features:




- 6", 7" and 12" Styles Available
- Manufactured from High-Density Polyurethane
- Low Maintenance
- Durable
- Decay Resistant
- Primed White (Ready to Paint)
- Easy to Install
- Curved "Radius" Rail Styles Available
- 25 Year Limited Warranty

6" Balustrade System




6" Balustrade System

Item #	M	Maximum Spacing	O/C
58031	7/8"	2 1/4"	5 1/4"
58032	7/8"	2 1/4"	5 1/4"
58036	7/8"	2 1/4"	5 1/4"
58033	1"	2"	5 1/2"
58034	1"	2"	5 1/2"
58035	1"	2"	5 1/2"
58037	1"	2"	5 1/2"
58038	1"	2"	5 1/2"
58029	0"	4"	7"
58030	0"	4"	7"
58061	1 1/16"	1 3/4"	5 1/4"
58062	1 1/16"	1 3/4"	5 1/4"
58063	1 1/16"	1 3/4"	5 1/4"




Balustrade System Styles

6" Balustrade System




Square Windsor Edinburgh Wessex Wales

7" Balustrade System



Katharine Caroline Abigail











12" Balustrade System




Kennedy Madison

7" Balustrade System

There may be a variance of up to 1/4" in all dimensions.






7" Balustrade System			
Item #	M	Maximum Spacing	O/C
58041	1 3/8"	1 1/4"	6 1/2"
58042	1 3/8"	1 1/4"	6 1/2"
58045	1 3/8"	1 1/4"	6 1/2"
58043	1 3/8"	1 1/4"	6 1/2"
58044	1 3/8"	1 1/4"	6 1/2"
58046	1 3/8"	1 1/4"	6 1/2"
58091	1 5/16"	1 3/8"	6 5/8"
58092	1 5/16"	1 3/8"	6 5/8"
58093	1 5/16"	1 3/8"	6 5/8"



12" Balustrade System


There may be a variance of up to 1/4" in all dimensions.




Poly molding provided loose to be installed on job site.



Plain Newel 57094




Top Rail





Bottom Rail

12" Balustrade System

Item #	M	Maximum Spacing	O/C
58051	1 3/4"	1/2"	7 1/2"
58052	1 3/4"	1/2"	7 1/2"
58053	1 3/4"	1/2"	7 1/2"
58054	2 3/4"	0"	7 1/2"
58055	2 3/4"	0"	7 1/2"
58056	1 3/4"	0"	7 1/2"




Ball Cap
7" 63058
10" 57096
12" 57093
*Must be used with Flat Cap




Pyramid Cap 57091




Flat Cap 57092



Classic Cap 57097



Panel and Corner Newel 57095



Support Block 58014

Curved Balustrade System

Curved Balustrade System Features:

- 6" and 7" Styles Available
- Low Maintenance
- Durable
- Decay Resistant
- Primed White (Ready to Paint)
- Easy to Install
- Available in 60"-108" radius in up to 10' lengths
- Modified and Custom Curved Rails Available
- 25 Year Limited Warranty



Must purchase balusters and newels separately.

Building Codes

Dixie-Pacific™ recommends checking all local, state, and national building codes before the design and installation of your balustrade system.


Dixie-Pacific™ is not responsible or liable for any balustrade system that does not meet the requirements of the governing building code in the location where the system is installed.

The space between the bottom rail and the substrate should not be more than 2".

Warranty

Dixie-Pacific™ warrants that for 25 years the components in its Balustrade Systems are free from defects in material and workmanship. Assuming proper installation, Dixie-Pacific™ will repair or replace any component which has failed as a result of defective materials or workmanship. In the event of a claim against this warranty, proof of purchase, with date will be required to affect such a claim. Installation cost not included. Dixie-Pacific™ gives no other warranty expressed or implied.

Typical Assembly



NOTE: Rails are not pre-drilled.